

SPARE PARTS FOR RAC


BRUSH REF: CEPILLO

REF.
CEPILLO RAC 01
CEPILLO RAC 02



ROLLING WITH SUPPORT REF: CHUMACERA

REF.
CHUMACERA



OILS AND GREASE DETECTION ALARM REF: OIL-SET 1000

Designed to detect oil and grease level. To be installed in grease separators. Working temperature between -20° and 40°C.

REF.
OIL-SET 1000




1

SAND AND SOLIDS DETECTION ALARM
REF: SAND – SET 1000

Detect settled sand and solids level. To be installed in settling tanks and grit chambers.
Working temperature between -20⁰ and 40⁰C.

REF.
SAND SET 1000



MAXIMUM LEVEL WIRELESS ALARM for waste water storage tank
REF: SAM-WIRELESS

Maximum level alarm for waste water storage tanks. Easy to install.

REF.
SAM-WIRELESS




MAXIMUM LEVEL ALARM FOR WASTE WATER STORAGE TANK

REF: SAM

- Maximum level alarm for waste water storage tanks.
- Level probe with a 10 m length cable specially designed for waste water.
- Panel board with on/off switch and acoustic and visual alarm of 300x250x150mm.

REF.

SAM



SPECIFIC BACTERIA FOR PRETREATMENT

BACTERIA FOR GREASE SEPARATOR:



BRICK – 900 - 450

Removes greases and kills odors in greases separators, septic tanks in domestic and industrial sewerage. 24 hours non-stop proportion.

Packing: 4/8 items per Box. Each item contains 450/900gr.

BACTERIA FOR FOAM REMOVAL:



CRM DEPUR

Biological agent for odors and foams removal during treatment processes.

Packing: 25 L / bottle.